

Product data sheet

Boxer E

Integrated door closer for single leaf doors with a leaf width of up to 1400 mm with electric hold-open device



Product features

| |
|--|
| Closing force with variable adjustment of EN2-4 or EN3-6 |
| Can be used for right and left hand doors without conversion |
| Door closer is embedded in the door leaf and frame and fulfils the highest design demands |
| Electric hold-open device in the guide rail with hold-open area 80°-120° |
| Retention force of the hold-open unit is gradually adjustable |
| Smoke switch control unit can be connected, whose signal makes the door close automatically in the event of a fire |
| Integrated back check, slows down doors that are thrown open forcefully |
| Hydraulic latching action which accelerates the door shortly before the closed position |
| Closing speed can be individually adjusted |
| All functions can be adjusted in the installed state |

Application Areas

| |
|---|
| Fire and smoke protection doors, proof of suitability for the door required |
| Right and left single-action doors |
| Single-action doors up to 1400 mm leaf width, for door weight up to 180 kg |
| For door leaf thicknesses from 40 mm |
| Integrated installation |
| Hold-open systems with integrated hold-open device |

Product Data Table

| | |
|------------------|--------------|
| Product features | GEZE Boxer E |
|------------------|--------------|

Accessory

Product name

| |
|-----------------------------------|
| Rauchschalterzentrale RSZ6 ECwire |
| Smoke switch control unit RSZ 6 |
| GEZE Rauchschalter GC 152 |
| GEZE Rauchschalter GC 153 |
| Aufputzdose 1-fach |
| Notöffnungstaster AS 500 |

Part

Product name

BOXER GR. 2-4

Boxer Gr. 2-4 2V

BOXER GR. 3-6

E-GLEITSCHIENE BOXER