

Manufacturer GEZE GmbH

Product Name Fanlight opener OL 90 N



Product Rating

- The product fulfills the requirements of action level 1 to 4 and contributes to achieve 10 (of max. 10) criterion points within Criterion 06 'Risks for the regional environment'.

Criterion 06 Risks for the Local Environment - Ecological Quality

Action Level 1	1 Point	<input checked="" type="checkbox"/>
Action Level 2	5 Points	<input checked="" type="checkbox"/>
Action Level 3	7.5 Points	<input checked="" type="checkbox"/>
Action Level 4	10 Points	<input checked="" type="checkbox"/>

Criterion 08 Sustainable Resources - Ecological Quality*

Action Level 1	1 Points	<input type="checkbox"/>
Action Level 2	5 Points	<input type="checkbox"/>
Action Level 3	10 Points	<input type="checkbox"/>

* This criterion is only applicable to wooden materials.

Product Characteristics

Slimline fanlight opener for daily aeration and ventilation with vertically installed rectangular windows with bottom-hung, top-hung or side-hung casements, inward opening. For window cleaning, the scissors can be disengaged quickly by pressing the release catch. Casement closing pressure can be adjusted at the casement bracket. Opening width max. 170mm by 80kg per leaf. RAL certified fanlight opener available in 4 standard colour and 1 special colour.

About DGNB Products - www.dgnb.de

This declaration helps to assess products easily according the certification system DGNB® Neubauversion Büro- und Verwaltungsgebäude (NBV09). Products are not reviewed or certified by DGNB. DGNB credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. Therefore the project team or the manufacturer is responsible to declare the compliance with the project requirements to achieve DGNB points.

Below you find an explanation of the symbols. Detailed information are on the next pages.

<input checked="" type="checkbox"/>	Credit requirements fulfilled - the action level is achieved
<input type="checkbox"/>	Credit is not applicable to this product
22%	X% of the product comply with the credit requirement
—	Required data not specified - for required data contact manufacturer
×	Credit requirements are not fulfilled

Manufacturer **GEZE GmbH**Product Name **Fanlight opener OL 90 N**

*All values are based on the unit: 1 element

Detailed Rating	No	Product Name	Manufacturer	Mass per Unit* [%]	Steckbrief 06 Risiken für die lokale Umwelt				Steckbrief 08 Nachhaltige Ressourcenverwendung					
					Action Level 1	Action Level 2	Action Level 3	Action Level 4	Action Level 1	Action Level 2	Action Level 3	Action Level 4		
A1	Steel galvanized	GEZE GmbH	~ 25.4%	✓	✓	✓	✓	✓	○	○	○	○	○	○
A2	Aluminium	GEZE GmbH	~ 32.4%	✓	✓	✓	✓	✓	○	○	○	○	○	○
A3	Zinc die-cast	GEZE GmbH	~ 32.4%	✓	✓	✓	✓	✓	○	○	○	○	○	○
A4	Plastics	GEZE GmbH	~ 5.6%	✓	✓	✓	✓	✓	○	○	○	○	○	○
A5	Powder coating	GEZE GmbH	~ 4.2%	✓	✓	✓	✓	✓	○	○	○	○	○	○
A6														
A7														
A8														
A9														
A10														
		Fanlight opener OL 90 N	GEZE GmbH	100	✓	✓	✓	✓	○	○	○	○	○	○

Manufacturer **GEZE GmbH**



Product Name **Fanlight opener OL 90 N**

Criterion 06 Risks for the Local Environment - Ecological Quality

Detailed Rating

No	Product Name	Manufacturer
A1	Steel galvanized	GEZE GmbH
Product Type	Requirement	Contribution of Product
There are no requirements for this product		

No	Product Name	Manufacturer
A2	Aluminium	GEZE GmbH
Product Type	Requirement	Contribution of Product
There are no requirements for this product		

No	Product Name	Manufacturer
A3	Zinc die-cast	GEZE GmbH
Product Type	Requirement	Contribution of Product
There are no requirements for this product		

No	Product Name	Manufacturer
A4	Plastics	GEZE GmbH
Product Type	Requirement	Contribution of Product
Plastics for windows, floorings or wall claddings	Action Level 1-3: ▪ No requirements Action Level 4: ▪ The product is free of lead, cadmium or tin stabilizer	The product is free of lead, cadmium or tin stabilizer.

Manufacturer **GEZE GmbH**
Product Name **Fanlight opener OL 90 N**


No	Product Name	Manufacturer
A5	Powder coating	GEZE GmbH
Product Type	Requirement	Contribution of Product
Paints and coatings (without anti-corrosion paints) Applied on non-mineral surfaces.	Action Level 4: VOC-content < 3% Action Level 3: VOC-content < 10% Action Level 2: VOC-content < 15%; RAL UZ 12a count as proof Action Level 1: VOC-content < 25%	VOC-content: 0%
Sealants, adhesives, and anti-corrosion Applied on mineral and non-mineral surfaces.	Action Level 4: VOC-content < 3% Action Level 3: VOC-content < 10% Action Level 2: VOC-content < 15%; RAL UZ 12a count as proof Action Level 1: VOC-content < 25%	VOC-content: 0%
Varnishes for walls, floorings, ceiling or roofs.	Action Level 1-2: ▪ No requirements Action Level 3-4: ▪ Pigments and siccatives in varnishes are free of lead, cadmium, chromium VI or their compounds.	Pigments and siccatives in the product contain no lead, cadmium, chromium VI or their compounds.