

Product data sheet

TS 4000 E

Overhead door closer with link arm for single leaf doors of up to 1400 mm leaf width with electric hold-open device



Product features

Closing force with variable adjustment from EN1-6
Operating voltage 24 V DC
Can be used for right and left hand doors without conversion
Electric hold-open device with hold-open area 80°-175°
Electric hold-open device in accordance with EN 1155 suitable for hold-open systems
Mechanical latching action which accelerates the door shortly before the closed position
Closing speed can be individually adjusted
Visual closing force display for easy control of the setting
All functions can be set from the front (except for latching action)

Application Areas

Right and left single-action doors
Single-action doors up to 1400 mm leaf width
Door leaf installation hinge side and transom installation opposite hinge side

Product Data Table

Product features	GEZE TS 4000 E
Suitability for fire protection doors	Yes

Accessory

Product name

Rauchschalterzentrale RSZ6 ECwire
Smoke switch control unit RSZ 6
GEZE Rauchschalter GC 152
GEZE Rauchschalter GC 153
Notöffnungstaster AS 500
GEZE GC 171 wireless module
GEZE GC 175 wireless input module
GEZE Funkrauchmelder GC 172
GEZE Funktemperaturmelder GC 173
GEZE Wireless KIT

Part

Product name
Gestänge TS 2/4000 Standard
GEST. TS 4000 VERL.
TS 4000 E
TS 4000 E KOPFMONT.