

Product data sheet TS 4000 Tandem



Overhead door closer with link arm for single leaf doors/gates with a leaf width greater than 1600 mm

AREAS OF APPLICATION

- → Fire and smoke protection doors
- → Right and left single-action doors
- → Single-action doors from 1600 mm leaf width and very high weight
- ightarrow Door leaf installation hinge side and transom installation opposite hinge side
- ightarrow Door leaf installation opposite hinge side in parallel arm installation possible

TS 4000 Tandem



PRODUCT FEATURES

- ightarrow System comprising two door closers TS 4000 EN5-7 and TS 4000 EN1-6
- → Closing force with variable adjustment from EN7
- \rightarrow Can be used for right and left hand doors with conversion
- ightarrow Mechanical latching action which accelerates the door shortly before the closed position
- → Closing speed can be individually adjusted
- → Integrated back check, slows down doors that are thrown open forcefully
- → Visual closing force display for easy control of the setting

TECHNICAL DATA

Productname	TS 4000 Tandem
Closing force in accordance with EN 1154	EN > 7
Type of installation	Door leaf installation hinge side, Door leaf installation opposite hinge side, Transom installation opposite hinge side
Opening angle (max.)	180°
Suitability for fire protection doors	Yes
Closing force adjustable	Yes, stepless
Adjustable closing speed	Yes
Latching action adjustable	Yes, via link arm
Back check integrated	Yes, hydraulically adjustable
Position of closing force adjustment	Front
Visual closing force display	Yes
Hold-open function	Optional
Smoke switch integrated	No

PART

LINK ARM TS 4000 / 2000 ELONGATED

For transom installation with reveal depth between 70-170 mm



Product data sheet I Page 3 of 5

TS 4000 Tandem



Designation

Link arm TS 4000/2000 elongated
Link arm TS 4000/2000 elongated
Link arm TS 4000/2000 elongated

TS 4000 TANDEM COMPLETE PACKAGE

Overhead door closer with link arm larger than EN 7 with back check



Designation

GEZE TS 4000 Tandem
GEZE TS 4000 Tandem

INSTALLATION MATERIAL

SPINDLE EXTENSION

For TS 4000/TS 2001



Designation

Spindle extension for TS 4000 / TS 2000

Product data sheet I Page 4 of 5

TS 4000 Tandem



DRILLING TEMPLATE DOOR CLOSER

for TS 5000/TS 4000/TS 3000/TS 2000



Designation

Drilling template door closer

MOUNTING PLATE LINK ARM *

for TS 4000/TS 2000, with slim frames



Designation

Mounting plate link arm

Mounting plate link arm

MOUNTING PLATE DOOR CLOSER

for TS 4000 Tandem with hole pattern according to DIN EN 1154 Supplement 1 $\,$



Designation

Mounting plate

Mounting plate

TS 4000 Tandem



MOUNTING PLATE LINK ARM

For TS 4000/TS 2000 for parallel arm installation



Designation Mounting plate link arm Mounting plate link arm Mounting plate link arm

^{*} The products designated above may vary in form, type, characteristics, function, or availability depending on the country. Please get in touch with your GEZE contact person if you have any questions.